


REVISIONS

REV DESCRIPTION DATE INITIAL APPROVED




ASSY QTY	ASSY QTY	в/О	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG. RED BAR		N MACHINE	
	Х		-1	1	PULLER ASSY.			2	BEARING PULLER		
Х	1		-3	1	HANDLE ASSY.			3	DWG NO. T OO 1 OO O 4 OO O		
1			-5	1	BOLT	1018	Ø7/8 X 3-3/16	4	T-8818804000		
1			-7	1	BAR	1018	Ø3/8 X 4-7/8	5	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY: CLOUGH	
	1		-9	1	CLAMP	1018	Ø2-1/4 X 1	6	TOLERANCES ON: APPROVED Abbroa		for W
	2		-11	2	JAW	1018	Ø2-3/4 X 3-11/16	7	.XXX ± .005 FRACTIONS ± 1/32	HEAT TREAT FINISH	
	1		-13	1	WRENCH	BRASS	ØIXI	8	.XX ± .01 ANGLES ±.5°	SPEC	
	1		-15	1	RING	1018	Ø3-1/4 X 5/8	9	UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		
	1	B/O	-17		DOWEL PIN	STEEL	Ø3/32 X 5/8	2			
ASSY #3	ASSY #1								SCALE 1:2 DATE 11/	17/2011 SHEET 1	OF 9








HANDLE ASSEMBLY




DATE INITIAL APPROVED

RB	CHINE								
TITLE	ER								
DWG NO.	T-8818804000-3								
	FRACTION	NCHES	DRAWN BY: CLOUGH APPROVED Approved for TREAT TRIBET FINISH SPEC						
1. BREAK	HERWISE SPE ALL SHARP E 45° PR .015 R MITS APPLY AF	DGES	USED ON MODEL						
SCALE 1:	1 04	^{ATE} 11	/17	7/2011	SHEET 3	OF 9			

 REVISIONS
 DATE
 INITIAL
 APPROVED






(-5)


BOLT






This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine. DESCRIPTION INITIAL APPROVED $\phi .0932 \atop .0937$ -.04 X 45° THRU ALL Ø 1.130 Ø.870 1.706 ϕ 2.165 Ø1.890 M14X1.5 THRU .235 .200 -ENGRAVE P/N & T/N .195 "T-8818804001" "T-8818804000" RED BARN MACHINE TITLE **BEARING PULLER** DWG NO. T-8818804000-9 CLAMP UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ON:
DECIMALS
.XXX ± .005 FRACTIONS ± 1/32
.XX ± .01 ANGLES ± .5° DRAWN BY: CLOUGH APPROVED Approved for BLACK OXIDE UNLESS OTHERWISE SPECIFIED


1. BREAK ALL SHARP EDGES USED ON MODEL .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING DATE 11/17/2011 SCALE SHEET 6 OF 9 1:1





REVISIONS

REV DESCRIPTION DATE INITIAL APPROVED



(-15)

RING

